

YAMAHA GOLFCART 4 SEATER

Battery Operated Vehicle

2 forward & 2 rear facing seats



Revs Your Heart

YAMAHA

OPTIONAL ACCESSORIES



Side Mirror



Light Kits



5 Panel Mirror Kit



Cooler Kit




Rain Cover



SPECIFICATIONS

	4 Seater (2 forward & 2 rear facing seats)
Drive System	DC Shunt Wound Motor/ AC Motor
Seating Capacity	4 Persons
Overall Length	2730 mm
Overall Width	1200 mm
Overall Height (With Sun top)	1900 mm 4Ply / 1919 mm High Wheel
Overall Height (Without Sun top)	1195 mm 4Ply / 1214 mm High Wheel
Wheel Base	1640 mm
Front Wheel Tread	870 mm
Rear Wheel Tread	980 mm
Minimum Ground Clearance	105 mm 4Ply / 124mm High Wheel
Frame	Robotic welded automotive ladder-style steel frame protected with a multi-step full immersion phosphate treatment, electro-deposition epoxy-based coating and an electrostatic applied polyester.
Body	Thermoplastic olefin, 2-part top coat of automotive-grade polyurethane
Front Suspension	Fully independent automotive-style strut suspension
Rear Suspension	Swing arm with coil springs
Brakes	Self adjusting rear drum
Dry Weight (With Batteries)	503 kg DC/ 512 kg AC (GS BV 150Z 12 VOLT X 4 PCS)
	491 kg DC/ 500 kg AC (T-1275 12 VOLT X 4 PCS)
	517 kg DC/ 526 kg AC (T-875 8 VOLT X 6 PCS)
	567 kg DC/ 576 kg AC (T-105 6VOLT X 8 PCS)
Batteries	GS BV 150Z 12 VOLT X 4 PCS
	Trojan T-1275 12 VOLT X 4 PCS
	Trojan T-875 8 VOLT X 6 PCS
	Trojan T-105 6VOLT X 8 PCS
Voltage Rating	48 Volt
Output Rating	3.5 HP (2.6 kw) Make: HITACHI DC / 6.7 HP (5.0 kw) Make: HITACHI AC
Charger	Stationery Constant Current Charger Make: DELTA-Q
Maximum forward speed (Adj)	24 km/h
Turning Radius	2.8 metre
Parking Brake	Pedal Brake
Tire Size	18.00x8.50-8.00 4 ply / 19.50x6.50-12.00 High Wheels
Steering	Rack and Pinion
Windshield	Fold-Down Clear Windshield
Warranty	1 Year

SERVICE NETWORK



Our Branches

- Chennai ● Coimbatore ● Bangalore ● Goa ● Hyderabad ● Vijayawada
- Mumbai ● Pune ● Ahmedabad ● Kolkata ● Noida