

YAMAHA TRANSPORTATION VEHICLE 6 SEATER

Battery Operated Electric Vehicle

4 forward & 2 rear facing seats



Revs Your Heart

YAMAHA

OPTIONAL ACCESSORIES



Side Mirror

The 4-1/8" x 7-3/4" convex mirror comes with 3/4" and 1" bar clamps to fit many golf cart models. Breakaway feature helps eliminate damage. Made with durable ABS plastic. Ball-and-socket joint for easy adjustment. Fits either right or left side.



Light Kits

Customize the Cruise with these sealed halogen headlights and taillights.



Cooler Kit

Black roto-molded, single-wall construction with attached flip-up lid. Comfortably holds up to six soft drink cans or four 16.9 oz. water bottles with ice. Easily removed and portable using the attached handle. Comes with all necessary mounting hardware to install on either left or right side. Fits side by side with the Sand Bottle.



Rain Cover

The Yamaha Over-the-Top Enclosures has been precision engineered for a custom fit for each sun top. Features an over-the-top, trackless style design.




5 Panel Mirror Kit

See everything going on behind you with this sleek style 5-panel rear view mirror kit. Includes all necessary mounting hardware.

SPECIFICATIONS

	6 Seater (4 forward & 2 rear facing seats)
Drive System	DC Shunt Wound / AC Motor
Seating Capacity	6 Persons
Overall Length	3600 mm
Overall Width	1200 mm
Overall Height (With Sun top)	1920 mm 4Ply / 1939 mm High Wheel
Overall Height (Without Sun top)	1195 mm 4Ply / 1214 mm High Wheel
Wheel Base	2510 mm
Front Wheel Tread	870 mm
Rear Wheel Tread	980 mm
Minimum Ground Clearance	105 mm 4Ply / 124mm High Wheel
Frame	Robotic welded automotive ladder-style steel frame protected with a multi-step full immersion phosphate treatment, electro-deposition epoxy-based coating and an electrostatic applied polyester.
Body	Thermoplastic olefin, 2-part top coat of automotive-grade polyurethane
Front Suspension	Fully independent automotive-style strut suspension
Rear Suspension	Swing arm with coil springs
Brakes	Self adjusting rear drum
Dry Weight (With Batteries)	574 kg DC/ 583 kg AC (GS BV 150Z 12 VOLT X 4 PCS)
	562 kg DC/ 571 kg AC (T-1275 12 VOLT X 4 PCS)
	588 kg DC/ 597 kg AC (T-875 8 VOLT X 6 PCS)
	638 kg DC/ 647 kg AC (T-105 6VOLT X 8 PCS)
Batteries	GS BV 150Z 12 VOLT X 4 PCS
	Trojan T-1275 12 VOLT X 4 PCS
	Trojan T-875 8 VOLT X 6 PCS
	Trojan T-105 6VOLT X 8 PCS
Voltage Rating	48 Volt
Output Rating	3.5 HP (2.6 kw) Make: HITACHI DC / 6.7 HP (5.0 kw) Make: HITACHI AC
Charger	Stationery Constant Current Charger Make: DELTA-Q
Maximum forward speed (Adj)	24 km/h
Turning Radius	4.4 metre
Parking Brake	Pedal Brake
Tire Size	18.00x8.50-8.00 4 ply / 19.50x6.50-12.00 High Wheels
Steering	Rack and Pinion
Windshield	Fold-Down Clear Windshield
Warranty	1 Year

SERVICE NETWORK



Our Branches

- Chennai ● Coimbatore ● Bangalore ● Goa ● Hyderabad ● Vijayawada
- Mumbai ● Pune ● Ahmedabad ● Kolkata ● Noida